

AMENDMENTS TO THE CLAIMS

1. (Cancelled)

2. (Currently Amended) An aptamer-probe complex for detecting the presence of a target molecule, said complex comprising:

an aptamer moiety which is able to bind to thrombin and inhibit the enzyme activity of thrombin;

and

a probe moiety which is able to bind to the target molecule,

The complex according to claim 1, wherein the target molecule is a nucleic acid, and the probe moiety of the aptamer-probe complex is an oligonucleotide capable of hybridizing with the

nucleic acid and is located on the 3' side of the aptamer moiety, and wherein when the probe

moiety does not bind to the target molecule, said aptamer moiety does not bind to thrombin and

thrombin exhibits its activity, and when the probe moiety binds to the target molecule, said

aptamer moiety binds to the thrombin and inhibits the enzyme activity of thrombin.

3. (Currently Amended) An aptamer-probe complex for detecting the presence of a target molecule, said complex comprising:

a thrombin aptamer moiety which is able to bind to thrombin and inhibit the enzyme activity of thrombin; and

a probe moiety which is able to bind to the target molecule, The complex according to claim 1,

wherein the target molecule is a protein or a small molecule, and the probe moiety of the

aptamer-probe complex is an aptamer capable of binding to the protein or the small molecule,

and is inserted into the sequence of the thrombin aptamer moiety, and wherein when the probe

moiety does not bind to the target molecule, said aptamer moiety does not bind to thrombin and

thrombin exhibits its activity, and when the probe moiety binds to the target molecule, said aptamer moiety binds to thrombin and inhibits the enzyme activity of thrombin.

4. **(Original)** The complex according to claim 3, wherein the indicator protein is an enzyme.

5. **(Original)** The complex according to claim 4, wherein the enzyme is thrombin.

6.-7. **(Cancelled)**

8. **(Currently Amended)** The complex according to claim ~~[[1]]~~2 or 3, wherein the target molecule is Salmonella bacteria gene, SARS virus gene or a portion thereof.

9. **(Currently Amended)** A kit for detecting the presence of a target protein, comprising the aptamer-probe complex according to any of claims ~~1 to 8~~ 2 to 5.

10. **(Withdrawn)** A method for detecting the presence of a target molecule in a sample, comprising:

preparing an aptamer-probe complex comprising an aptamer moiety which is able to bind to an indicator protein and change the properties of said indicator protein, and a probe moiety which is able to bind to the target molecule, wherein said aptamer moiety and said probe moiety are combined in such a manner that the binding mode between the aptamer moiety and the indicator protein changes when the probe moiety binds to the target molecule;

contacting the sample with the complex; and

detecting the change in the properties of the indicator protein as an indicator of the presence of the target molecule in the sample.

11. **(Withdrawn)** The method according to claim 10, wherein the target molecule is a nucleic acid, and the probe moiety of the aptamer-probe complex is an oligonucleotide capable of hybridizing with the nucleic acid.

12. **(Withdrawn)** The method according to claim 10, wherein the target molecule is a protein or a small molecule, and the probe moiety of the aptamer-probe complex is an aptamer capable of binding to the protein or the small molecule.
13. **(Withdrawn)** The method according to claim 10, wherein the indicator protein is an enzyme.
14. **(Withdrawn)** The method according to claim 13, wherein the change in the enzyme activity of the indicator protein is measured by a spectrophotometric technique.
15. **(Withdrawn)** The method according to claim 13, wherein the change in the enzyme activity of the indicator protein is measured by an electrochemical technique.
16. **(Withdrawn)** The method according to claim 13, wherein the enzyme is thrombin.
17. **(Withdrawn)** The method according to claim 10, wherein binding between the aptamer moiety and the indicator protein becomes stronger when the probe moiety binds to the target molecule.
18. **(Withdrawn)** The method according to claim 10, wherein binding between the aptamer moiety and the indicator protein becomes weaker when the probe moiety binds to the target molecule.
19. **(Withdrawn)** The method according to claim 10, wherein the target molecule is Salmonella bacteria gene, SARS virus gene or a portion thereof.
20. **(New)** An aptamer-probe complex for detecting the presence of a target molecule, said complex comprising:

an aptamer moiety which is able to bind to thrombin and inhibit the enzyme activity of thrombin;

and

wherein the target molecule is a nucleic acid, and the probe moiety of the aptamer-probe complex is an oligonucleotide capable of hybridizing with the nucleic acid and is inserted into the aptamer moiety with forming a stem-loop structure, and
wherein when the probe moiety does not bind to the target molecule, said aptamer moiety binds to the thrombin and inhibits the enzyme activity of thrombin, and when the probe moiety binds to the target molecule, said aptamer moiety does not bind to thrombin and thrombin exhibits its activity.